

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	((("low pin count" OR LPC) SAME docking) AND "trusted data cycle"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/05 09:25
S2	1	"trusted data cycle"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/05 09:25
S3	26	((("low pin count" OR LPC) SAME docking)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/05 14:26
S4	23	((("low pin count" OR LPC) SAME docking) AND cycle	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/05 15:42
S5	2	(5568621 5621900).pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/05 15:43
S6	5	("20030093607"   "20030221036"   "5590377"   "6336158"   "6578101").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/05 16:03
S7	1	("2003/0154338").URPN.	USPAT	OR	ON	2007/03/05 16:13
S8	4	(20030200370 20030154338 2003093607 20020184297).pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 07:41
S9	4	(5748888 20030078984 20030093607 4829515).pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 14:38
S10	1	"6131127".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 16:01

## EAST Search History

S11	1	"6119189".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 16:04
S12	1	"6871252".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 16:07
S14	5	(20050015611 5845331 5920730 596718 7145481).pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 16:15
S15	28	(710/8.ccls. OR 710/303.ccls. OR 710/304.ccls.) AND "LPC" AND switch	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 08:26

# NPL SEARCH HISTORY

citations.txt

Google Search History: \_\_\_\_\_

- \* FSB clock cycle
- \* "X-bus"
- \* "low pin count" LPC
- \* "trusted data cycle"
- \* "human interface device" HID
- \* trusted LPC
- \* +trusted laptop docking
- \* +trusted docking LPC
- \*

ACM Search History: \_\_\_\_\_

- \* (trusted OR secure) AND cycle AND bus
- \* (trusted OR secure) cycle bus
- \* computer bus side-channel attack
- \* bus side-channel attack secure trusted
- \* trusted AND docking AND LPC

IEEE Search History: \_\_\_\_\_

- \* (( ( bus cycle<in>metadata ) <and>trusted <or> secure)) <and> (pyr >= 1913 <and> pyr <= 2003)
- \* (((bus and 'side-channel' and attack and secure and trusted)<in>metadata)) <and> (pyr >= 1913 <and> pyr <= 2003)
- \* (( ( docking<in>metadata ) <and> ( lpc<in>metadata ) )<and>trusted) <and> (pyr >= 1913 <and> pyr <= 2003)
- \*